

Product sheet



SYNERGY™ LEGRAND

Synergy™ - Single push switch - 1 gang - 2 way bell symbol - 10 AX 250 V~ - White

REF. 730107 | EAN. 3245067301074

[> Visit e-catalogue](#)

Product characteristics

- Synergy - single pole switches, single pole push and key switches, rotary dimmers - white - Front plates : white thermoset - Terminal screws captive and backed off ready for cabling - large angled terminal entries - Compact mechanism for maximised wiring space - Supplied with faceplate screw caps
- Single pole push switches 10 A - 250 V~ - Conform to BS EN 60669 - 1 - For flush-mounting, back box to be min. 16 mm deep - ASTA licence - 1 gang - 2 way push switch with bell symbol

Technical characteristics

Assembly arrangement	Basic element with full cover plate
Model	Single push button
Method of operation	Rocker
Number of contacts as normally closed contact	1
Number of contacts as normally open contact	1
Number of contacts as change-over contact	0
Contactless type	No
Number of rockers	1
Number of modules (module system)	2
Number of poles	2
Nominal voltage	250 V
Rated current	10 A
With lighting	Yes

Surface finishing	Glossy
Colour	White
RAL-number (similar)	9003
Transparent	No
Label space/information surface	Yes
Imprint	None
Suitable for degree of protection (IP)	IP2X
degree of impact strength (IK)	IK01
Device width	86 mm
Device height	86 mm
Device depth	24.5 mm
Min. depth of built-in installation box	40 mm
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No

With complementary luminous signal	Yes
Monitoring contact	No
Connection type	Screwed terminal
Mounting method	Flush-mounted
Type of fastening	Screw mounting
Material	Plastic
Material quality	Duroplast
Halogen free	Yes
Antimicrobial treatment	No
Surface protection	Untreated

IFTTT support available	No
Built-in depth	14 mm
Operating / setting temperature (Min-Max)	-5-40 °C
Storage temperature (Min-Max)	-5-40 °C
Voltage type	AC
Frequency (Min-Max)	50-60 Hz
Cable section (Min-Max)	4-4 mm ²

Documentation

TECHNICAL DOCUMENTATION

 F00222EN-01.pdf | PDF (0.21Mo)

Agreements & Certificates

 OC / CB-FR_708093 | (0.72Mo)

 ASTA-781 | (0.4Mo)