Empowered by Innovation

NEC

UNIVERGE®
SV9500
COMMUNICATIONS SERVER

Empowering **the Smart Enterprise**

The UNIVERGE SV9500 Communications Server is a robust, feature-rich system that is ideal for geographically distributed businesses and enterprises. It is designed to help solve today's communications challenges and offers easy integration with NEC's unique vertical solutions.

The SV9500 offers:
> Powerful Unified Communications with mobility and unified messaging integrated within the solution
> Streamlined application integration through the new simplified user licensing structure
> Easy-to-use single point configuration and management
> 19-inch stackable chassis architecture which supports server functions, media gateways and media converters in a single unit

"The SV9500 can be specialized for your industry."

At a Glance
> Intel Core i3 330e 2.13GHz Processor
> Redundant power and CPU Options
> Multi-Line SIP Client with Multi-Carrier SIP Support
> IP Extensions/Digital/Analog
> Stations/ Trunks each up to 4,000 ports per system
> Hospitality Feature Options
> FCC, UL/CSA , CE Marking, Industry Canada, and Section 508 Compliant

www.necam.com

\Orchestrating a brighter world

The SV9500 meets all your communications needs.

Specifications

Platform	• NEC Communications Server • 3 Rack Units high, 19 inches wide • Intel Core i3 330e 2.13GHz Processor • Redundant power and CPU options • Hospitality feature options
Applications	• UC Desktop/Mobile • UC Desktop Softphone • UC Mobility Softphone • UC Attendant • UC Manager • Internal/External ACD • ACD Statistics(Global Navigator) • Voice Mail/Unified Communication System • Emergency On-site Notification
Stations	• NEC IP Terminals • Standard SIP Terminals • Digital Terminals • Analog Terminals
Networking	• SIP Trunk • T1/PRI Trunk • Analog Trunk • FCCS/CCIS IP network
Gateways	• 7U-GC • UG50 • UG30 • 1U MPC • MGSIP128
Survivability-Failover	• SR-MGC • Location Diversity - FCCS • Distributed System - RNoIP
Capacity	• Stations: 4,000 ports per system • Trunks: 4,000 ports per system • SR-MGC: 2,000 ports per system • RNoIP: 16,000 ports • FCCS/CCIS: 64 nodes/192,000 ports
Regulatory Compliance	• FCC • UL/CSA • Section 508 Compliant • CE Marking • Industry Canada(IC) CS-03

Peripheral Equipment Specifications

7U-GC	• 7 Rack Units high, 19 inches wide • 18 slots • Redundant AC/DC power modules • Digital/Analog Stations • PRI/T1 Trunks • Attendant Interface
UG50	• 2 Rack Units high, 19 inches wide • 5 slots • Digital/Analog Stations • Analog/PRI Trunks
UG30	• 2 Rack Units high, 19 inches wide • Lync Gateway
1U MPC	• 1 Rack Units high, 19 inches wide • 2 slots • 32ch conference • 16ch SIP Trunk • T1 Trunk
MGSIP128	• 1.5 Rack Units high, 19 inches wide • 128ch SIP Trunk
SR-MGC	• 1.5 Rack Units high, 19 inches wide • Survivable Remote MGC

For further information please contact your local NEC representative or:

Corporate Headquarters (Japan)	North America (USA & Canada)	NEC Enterprise Solutions	APAC	Latin America
NEC Corporation	NEC Corporation of America	NEC Europe Ltd	NEC Asia Pacific Pte Ltd	NEC Latin America
www.nec.com	www.necam.com	www.nec-enterprise.com	sg.nec.com	www.lasc.necam.com